






Lighting and Illumination Technology Experience Illuminations Collection









# Welcome


Established in 2001 LITE Ltd has over 200 years of combined workforce experience in the design, supply, manufacture and installation of Christmas and Seasonal illuminations.

We work extensively in the public and private sector in partnership with city councils, BIDs (Business Improvement Districts), local authorities, town councils, parish councils, small villages, shopping centres, garden centres and retail parks across the country.

Our expert team of project managers work closely with clients to understand and appreciate the differences each particular town or city brings to the local community.

By immersing ourselves into the local environment and by studying the architectural features of the area, enables us to deliver truly stunning, creative and innovative lighting creations, reflecting the local features and bringing the clients' initial vision to reality.

# See Our Other Brochures Festive Lighting Twinkly Pro Summer Products





# **QR Scanner**


A QR code (short for "quick response" code) is a type of barcode that contains a matrix of dots. This can be scanned using a QR scanner or smartphone with built in camera. These are located throughout our brochure to allow you to better visualise our products by opening a video to watch once the barcode is scanned.

Please make sure you have QR scanning capabilities enabled to fully appreciate the products LITE has to offer.

# **Contents**

Recent Projects	2
Velcome	4
co Statement	5
nimated Ropelight	6
winkly™ Column displays	8
winkly™ Chandelier displays	10
lain Collection	11
lew Mineral Fibre Collection	24
small Displays	32
MaxiLED Displays	34
D Column Displays	36
Photo Opportunities	38
Reindeer Collection	40
D Cone Tree Collection	42
ree Fencing & Decorations	46
winkly™ Lighting	50
MaxiLED Lighting	56
rojectors	60
rchitectural Lighting	64
ighting Accessories	68

# We Reuse We Reduce We Recycle



### New 3D ECO Printing

After more than 3 years of intensive research and development, our main supplier, Fotodiastasi, is now capable of producing 100% recyclable products.

This process involves the use of Robotic 3D Printers, which are probably the world's largest in the festive lighting industry.

Fully custom-made to meet even the most demanding customer's needs, our new recyclable product range uses materials that are PET (Polyethylene terephthalate), Biodegradable and recyclable, as well as incorporating recycled materials.

A great advantage of this technology is that after the end of their use, all our products can be recycled. With 3D printing, we use about 20% aluminium and 80% plastic, so we reduce over 80% use of aluminium, thereby resulting in a major reduction of energy consumption.

As a result, this new technology helps us and our clients understand the impact our actions have on the environment and benefits our environmental awareness.

### What Is Net Zero?

Net Zero is a target of completely negating the amount of greenhouse gases produced by our activity, to be achieved by reducing emissions and implementing methods of absorbing carbon dioxide from the atmosphere.

# In the future we hope to implement further measures such as

- · Continue with staff awareness and training on energy efficiency.
- Explore the potential for the direct substitution of diesel in company vehicles to Hydrogenated Vegetable
  Oil (HVO).
- Explore the advantages of engine remapping for company vehicles.
- Explore the potential for switching company cars to electric when appropriate.

### Carbon Reduction Plan

Our Carbon Reduction Plan has been completed in accordance with PPN 06/21 and associated guidance and reporting standard for Carbon Reduction Plans.

Emissions have been reported and recorded in accordance with the published reporting standard for Carbon Reduction Plans and the GHG Reporting Protocol corporate standard and uses the appropriate Government emission conversion factors for greenhouse gas company reporting.

Scope 1 and Scope 2 emissions have been reported in accordance with SECR requirements, and the required subset of Scope 3 emissions have been reported in accordance with the published reporting standard for Carbon Reduction Plans and the Corporate Value Chain (Scope 3) Standard.

LITE has a carbon net zero commitment with a target to reach this by 2050.


7

# Play with Light New Animation options Programmable Ropelight

From LED chasing lights to colour change, our LED tape lights are capable of being programmed to flash on and off, chase or change colour in a pre-set

Watch the video to see the animations of our predesigned displays.














Fountain Swirl 24133 2.2m x 0.9m

24134 2.2m x 0.9m









Shooting Sun Burst 24121 2.2m x 1.05m



Shooting Star Burst 24122 2.2m x 0.8m











Snowflake Wave Shooting 24110

1.15m x 4.4m

Shooting Sun Burst Crossing 24111

1.05m x 4.4m



0.8m x 4.4m

Twist Shooter Crossing 24141

0.95m x 4.4m









# **Mini Pro Solution**

- This is simply a plug and go system, giving a vibrant colour scroll throughout the display.
- This is a great solution when budgets are tight, but want something more than just standard lighting.
- This is an off the shelf solution, with a basic pre-programmed list of standard shows per display.
- There is no cloud access it can NOT be controlled remotely.
- There is no synchronisation available, each controller (display or lighting area) runs independently.






















0.80m x 2.30m







# Glitter Chain 18300

4.10m x 1.10m 23kg 78w





Star Swirls 22171 5.00m x 0.90m 81w



**Star Rope 22226**4.30m x 1.30m
42w



**Singing Angels 22186**6.30m x 1.20m

102w



**Flowing Stars 18244** 5.00m x 0.70m





**Glitter Snow 22255**4.40m x 0.75m



**Snow Sphere Swirl 18208** 3.20m x 0.90m 22kg 55w

Any design can be etched in the center circle!!



Snow Crossing **12090** 4.60m x 0.88m 74w

# Frosted Snow 124210 4.00m x 0.55m

114w 5.00m x 0.65m 164w



**Winter Waves**22506
4.45m x 0.75m
39w



Snowflake Banner 12573 4.50m x 0.95m

156w 30kg











Mistletoe Gift LD68025

0.80m x 2.30m

51w





22268

102w

129w


# **Mineral Fibre**

A new concept in decorations New pattern technology



WE CAN SAY THAT

Our teams have been trained in our UNIQUE know-how and we work hard to develop the skills of our employees.



100% HANDCRAFTED

People are at the heart of our development!



Hard work, due care, expertise and high standards are values that we pass on to all our new

Our partner specialises in the manufacture of mineral fibre structures in a variety of shapes combining design and aesthetics to meet a wide range of requirements in a variety of environments.



We guarantee a minimum 10-year life for our We guarantee a minimum 10-year li fibreglass structures in outdoor use.



The structures are light and very strong.



In the event of an impact, they do not break, they do not deform, unlike aluminium, and they are able to not deform, unlike aluminium, and they are bear more than 20 times their own weight.



They will not be blown over due to their openwork construction. They can withstand winds of over 75 mph! (and more generally in any NV 65 Zone 4).




**Guaranteed to last for** 10 years!

No deterioration even in a marine environment



The load-bearing capacity of our structures is remarkable. This allows for direct interactivity with visitors, as children and adults can climb on them...

Which they love to do!



# FIRE RESISTANCE

All our decorations can be classified M1 by construction or by treatment. This guarantees absolute safety from fire for ERP sites or sites with a high density of people.

The 10 complementary advantages:

- Corrosion resistance
- Chemical resistance
- Electrical and thermal insulation
- Thermal shock resistance
- Non-sparking and anti-magnetic (ADF/ATX)
- Electromagnetic transparency
- Easy cleaning, water, paint and varnish
- Unlimited colour palette
- Complies with road impact regulations.
- Easy to repair (vandalism and graffiti <1%).

# **OPENWORK SURFACE**

Light passes through the openwork surfaces, increasing the vision of light sources, meaning less lighting, less energy consumption and less environmental impact.

Optimised production costs, optimised installation costs, optimised storage constraints, all mean more positive impacts on our daily environment.

In our industrial activity, the sustainable development approach translates

- Recycling of waste (or industrial by-products) and the use of plant resources
- Improving process efficiency (energy efficiency and energy saving)
- The promotion of healthier practices and products for humans and the environment
- Marketing of products through greener travel (hybrid or electric vehicles)
- · A low carbon company, with goods being transported over a shorter distance
- · Development of local trade and crafts
- Products manufactured at our premises in Pertuis (84)




# Mineral Fibre

A new concept in decorations New pattern technology Give height to your communication!
We manufacture XXL size illuminated letters that can be adapted to any event (national holidays, sports celebrations, Pink October...).
You'll love the attention they get!










White weave, the letters can be coloured on request





Illuminated 3D letters with integrated projectors!

# Classic letter / 3D (180) ®

(Also available in 50, 70, 100, 125 and 150cm high)

Our manufacturing system allows us to guarantee total durability. Our structures are both strong and light. Our weaving technique allows for an aesthetically pleasing appearance by day and night (including the integration of LED spotlights in the structure).

Reference: LETTER-1.80









180 cm



**22403** 1.00m x 1.00m 27w



**121433** 1.10m x 1.20m 7.3kg 38w



**121452** 1.07m x 1.10m 5.6kg 29w



**22399** 0.95m x 1.10m 39w



**22382** 1.10m x 0.95m 21w



**22408** 1.50m x 1.50m 36w



**22414** 1.50m x 1.50m

33w



**22412** 1.50m x 1.50m 48w



**22381** 1.10 x 0.89m 18w



121432

1.10m x 1.20m

36w


**22390** 1.10m x 0.93m 30w



**22394** 1.10m x 0.80m 21w



**22411** 1.50m x 1.50m 45w



**22410** 1.50m x 1.50m 42w



**22409** 1.50m x 1.50m 36w



**22397** 1.10m x 0.75m 18w



**22400** 1.10m x 1.15m 36w



**22407** 1.10m x 1.00m 24w





**22384** 1.10m x 1.10m 24w



**123504** 1.20m x 1.50m 36w



**22385** 0.90m x 1.10m 18w



**22389** 0.80m x 1.10m 30w



**22391** 1.10m x 1.10m 39w



**1434** 1.00m x 0.90m 24w




















Snowflake & Bauble Tree 23270 2.00m x 7.20m 2.70m x 9.20m

Simple Tree

**17795** - 2.00m x 7.05m **17377** - 7.00m x 21.00m **17796** - 2.70m x 9.20m **17377** - 7.60m x 23.15m









# **Bushy Cone Trees**

# Introducing our heavy duty extra bushy

Designed to give an authentic Christmas Tree feel, this stunning display offers a fantastic eco-friendly alternative to purchasing a real

Available in a wide range of sizes, and suitable for both indoor and outdoor usage. With careful installation and storage,

these trees should provide many years of faithful service to your town and offer a real environmentally friendly alternative to annually cutting down our real and precious growing

Available in sizes: 17700 2.65m x 1.1m 17701 3.65m x 1.4m 17702 4.65m x 1.7m 17703 5.65m x 2.1m 17704 6.65m x 2.4m 17705 8.65m x 3.1m







# Green(GR)

# **LED Spheres**

Ball.70(colour) 

Ball.90(colour) Ball.150(colour) 0.50m x 0.50m 0.90m x 0.90m 1.50m x 1.50m

Ball.120(colour)

1.20m x 1.20m

# LED Spheres with Flash

Ball.30.FL(colour) Ball.70.FL(colour) Ball.120.FL(colour) 

Ball.50.FL(colour) Ball.90.FL(colour) Ball.150.FL(colour) 



Tree Diamond (3D) LD.TD.24 0.30m x 0.70m x 0.30m 2Kg 15w



### **Outdoor Artificial Trees**

Outdoor artificial trees, are flame retardant and U.V. Stabilised, with hinged branches as standard, for easy assembly and storage.

They have an expected life of 5 years when used for 6 to 8 weeks of the year.

5' (150CM) Tree - 200 Lights Suggested.

Model No. Description


5' Tree

### Zinc Plated Wall bracket. 45° bracket

Model No. Description BTW.45

45° Bracket for artificial trees (Please consult a qualified installer for required fixing method.)





We can help you decide which tree will suit your space then we will deliver, install and dress the tree. After the Christmas period we will dismantle and clear the tree from your site, then chip it and make it into compost.

Should you wish, we also offer a bespoke dressing and lighting service to suit your corporate colours.

The Natural trees we can supply include:

Norwegian Spruce Lovely pine fragrance











Picket Fence Height: 900mm Lengths: 1m, 2m, 2.5m

22517 1.50m x 1.00m




22518 1.50m x 1.00m

22519 1.50m x 1.00m



22520 1.50m x 1.00m



22521 1.50m x 1.00m





**GB.21** 





22469

H:0.80m

FD.21 H:0.50m H:0.75m H:0.50m H:0.75m H:1.00m

CD.21 H:0.50m H:0.75m H:0.40m H:0.60m H:1.00m H:1.00m





22470 H:0.80m

22471 H:0.80m

H:0.40m H:0.60m H:0.40m H:0.60m H:0.40m H:0.60m H:0.80m H:0.80m















H:0.75m H:1.00m











22454 H:0.40m H:0.60m H:0.30m H:0.50m H:0.50m H:0.30m H:0.50m H:0.75m H:1.00m H:0.75m H:1.00m H:0.75m H:1.00m





22473

H:1.00m






H:1.00m



22476

H:0.30m H:0.50m H:0.50m H:0.75m H:0.50m H:0.75m H:0.50m H:0.75m H:1.00m
















Product	Bulbs	Weight (kg)	Diameter (m)	Power (w)
4m tree no bax	4500	135	1.5	450
5m tree inc. 1m box	4500	350	1.6	450
8m tree inc. 2m box	9000	410	2.25	900
10m tree inc. 2m box	15000	550	2.85	1500
50cm Twinkly Star topper	500	3	0.5	
6m Tree no Box	9000	311	1.7	900w












Engineered and manufactured by LITE Ltd in the UK since 2007 to be a permanent solution to lighting trees and seafronts all year round, with a specifically designed LED package, IP68 waterproof and a full 5 year







Available Colours These can be mixed and matched in any order or sequence. Flashing lamps also

# **Static Colours**

- 5 year warranty
- Designed for 365 days a year use
- IP68 Waterproof
- High brightness LED
- Pre-manufactured festoon to your exact specification
- Pre-assembled in the factory so no fitting lamps on site
- Designed to allow easy & quick LED changes without affecting the IP68 integrity
- 1.5 sq mm Rubber cable to withstand harsh winds
- Self expanding cable ties available to allow tree growth
- Low voltage and Low energy 24v 0.6w per fitting

# **Projectors**

Our Powerful projectors are used to project beautiful Graphics, Images and Messages onto walls and buildings. We also use them to highlight interesting and important elements of the building and its perimeter. We use architectural light mapping to map the building so we can accurately design the images for the gobo to project on to the structure.

You can use projectors to display festive images and messages, to show an historical scene to celebrate a centenary or project your winning team to celebrate their victory. You can even project features that are not there like Windows, Archways, Gates and Balconies or you can project your finished project during renovations!

Our projectors are suitable for outdoor permanent projects.



Gobo – The key to achieving the best quality results from your projector lies in the Gobo (Projector Disks) itself. We supply the best quality Gobo Disks available in the market and work with the most knowledgeable and experienced designers and manufacturers.

Filters – The Light Projectors can be used to project a colour wash, an image or a moving image onto a surface. All are produced with the same projector; you just choose the type and design of the Gobo or Gobo Filter

Mapping – this is where we map out the contours and features of your building to create a stunning lighting display specifically designed to bring out the best features in your building or to re-create features of old that have long since crumbled away. Your imagination is the only limit and with our training and advice we'll help to remove all those limits. Talk to us about your ideas today and gladly share our knowledge and experience.

Signage – Whether projected onto a wall, floor or roof projected signage is great way to keep your safety and informational signs clear and crisp even in high traffic areas such as loading bays or clean rooms. You can even activate them with sensors, so the message is always noticed!

Ø

DIVUM BOK







offer extraordinary performance Commercial LED Projectors and Gobo LED Projectors, ideal for bright and brilliant all year round lighting projections. They are so versatile you can't help being impressed and excited at the possibilities for your project. All our Commercial LED Projectors have energy efficient lamps, low power consumption and yet produce brilliantly clear and sharp images.



# **Architectural Lighting**

We are a leading LED lighting solutions provider, delivering global award-winning projects in association with national designers. Partnered with pioneering manufacturers of dynamic LED and controls, we specify premium solutions for all projects, offering the latest in wireless technology and a full installation service.

LITE Architectural offers a wealth of specifically chosen proven LED technologies to fulfil the lighting needs of any architectural project. From application support and specification to ecology reports and site surveys, LITE provides extensive levels of service before the project has even begun. Once completed, we are still there to support our clients, offering superb aftercare to ensure the lighting in every project remains efficient and effective.

By working with only market-leading manufacturers, we ensure that the best solutions are specified for all projects. Regardless of the project requirements, it could be interior or exterior, large or small, and have numerous demands on the lighting technology, LITE provides the solutions, knowledge and technical expertise to deliver each and every time.

We are proud to have worked on a wide variety of prestigious projects across the UK, working with individual clients and local authorities on creating architectural lighting, heritage lighting, regeneration lighting and hospitality lighting.
















Nelson Market Square










# Plug in Stars

Plug in Stars

RLST50WW 50cm warm white plug-in Star on white cable **RLST50CW** 50cm cool white plug-in Star on white cable





damage resistant. The cable is white or black rubber sheathed and the product conforms to the latest EN standards. Colours available are; White, Red, Green, Blue, Warm White and Yellow.

Each string has 100 LED Mini Lights (if one lamp fails the others remain lit) at 10cm spacing and are inter-connectible so strings can be extended. The 230V version is 9.2W per set.

230V LED Mini	Light Sets (10m
Model Number	Description

LED.FLR.W 10m cord with 100 x 230V

White LED Mini Lights with black

rubber cable LED.FLR.WW 10m cord with 100 x 230V Warm White LED Mini Lights

with white rubber cable LED.FLR.B 10m cord with 100 x 230V

LED.FLR.G 10m cord with 100 x 230V Green LED Mini Lights with black

LED.FLR.R 10m cord with 100 x 230V

Red LED Mini Lights with black rubber cable

LED.FLR.MC 10m cord with 100 x 230V Multi Coloured LED Mini Lights

# Power cord Cords are supplied separately

CHPL230V-BLK LED Power lead with AC/DC convertor black rubber cable

LED.FLR.YC Y Connector Ring (Black)

CHPL230V-WH LED Power lead with AC/DC convertor white rubber cable

LED.FLR.MMC Circular Connector Ring (Black)

30cm Middle Connector (Black)







All the same characteristics as 230V LED Mini Light sets but with the added benefits of being Low Voltage

Colours available are; White, Red, Green, Blue, Warm White, Yellow, Pink and also an RGB colour changing version.

Each string has 100 LED Mini Lights (If one lamp fails the others remain lit) at 10cm spacing and are inter-connectible so strings can be extended.

9.2W per set and can be extended, the colour change is 9.2W per set and numerous sets can CHPL24V-BLK be centre fed from a transformer.

How many LED Mini Lights will I need? Minimum amount of LED Mini lights required per tree (Not including trunk, not colour change)

24V LED Mini Light Sets (10m)

Model Number Description
LED.FLR.24.W 10m cord with 100 x 24V

White LED Mini Lights with rubber

**LED.FLR.24.WW** 10m cord with 100 x 24V

Warm White LED Mini Lights with rubber cable

LED.FLR.24.B 10m cord with 100 x 24V Blue LED Mini Lights with rubber

LED.FLR.24.G 10m cord with 100 x 24V Green LED Mini Lights with rubber

LED.FLR.24.R 10m cord with 100 x 24V Red LED Mini Lights with rubber

LED.FLR.24.MC 10m cord with 100 x 24V Multi-coloured LED Mini Lights with

rubber cable

24 Volt colour change Model Number Description LED.FLR.24 CC 10M cord with 100 x 24V

Colour Change LED with rubber

Power cord Cords are supplied separately for LED.FLR

CHPL24V-WH LED.FLR.MMC LED.FLR.YC

Description
LED Power lead White rubber cable LED Power lead Black rubber cable Circular Connector Ring (Black)

EXT300B

Y Connector Ring (Black) 30cm Middle Connector (Black) 300cm Middle Connector (Black)

Tree Height(ft)	Number of Mini LED Lights	Transformer
10	1000 (10 x 100 String)	1 x RTR.LED.100
15	1500 (15 x 100 String)	1 x RTRLED.150
20	2000 (20 x 100 String)	1 x RTR.LED.240
25	3000 (30 x 100 String)	2 x RTR.LED.150
30	4000 (40 x 100 String)	2 x RTR.LED.240
40	5000 (50 x 100 String)	2 x RTR.LED.240

For maximum effect then increase above qty's by at least 50%

No. of	Product
Connection	Power Leads
1 Power Lead	24VMini LED
1 Power Lead	Colour Change Mini LE







# Twinkle LED Mini Light Sets

### · 24V & 230V Versions

Now available are the same length LED strings but with every 5th LED Mini bulb having a gentle flash to give an overall twinkling effect to your display. These are available on black or white rubber cable.

Model Number LED.FLR.W.AN

LED.FLR.WW-AN

10M cord with 100 x 230VWhite

LED with rubber cable 10m cord with 100 x 230v Warm White LED mini lights with 20% flashing on dark rubber cable LED.FLR.W-W-AN 10m cord with 100 x 230v Cool White LED mini lights with 20%

LED.FLR.24.WW-AN 10m cord with 100 x 24v Warm

flashing on dark rubber cable LED.FLR.24.W.AN 10M cord with 100 x 24V White LED with rubber cable

Power cord Cords are supplied separately for LED.

CHPL230V-WH LED Power lead with AC/DC convertor White rubber cable CHPL230V-BLK LED Power lead with AC/DC convertor Black rubber cable





LED.FLR.24.MC.AN

LED.FLR.MC.AN









Well proven and hugely successful the LED Curtain Light range is perfect for intensely brilliant seasonal display lighting.

Producing an enchanted sight with these stunning LED curtain lights. Be creative with these adaptable LED curtain lights, which can be used in unlimited locations.

# LED Curtain Lights 230V

Model Number

LED.FLRS.72.WH.230V LED.FLRS.72.WW.230V LED.FLRS.144.WH.230V LED.FLRS.144.WW.230V LED.FLRS.216.WH.230V LED.FLRS.216.WW.230V

Power cords are supplied separately

Description

1m x 1m 72 LEDs cool white or warm white 1m x 2m 144 LEDs cool white or warm white 1m x 3m 216 LEDs cool white or warm white

CHPL230v-WH LED power leads with AC/DC convertor

CHPL230v-BLK LED power leads with AC/DC converter

Black Rubber Cable

White Rubber Cable



Well proven and hugely successful the LED Braids range is perfect for adding a little sparkle to Street lamping columns.

Having exceptional low energy consumption and minimal maintenance this product is the ideal for existing street lighting columns adding minimal weight whist adding illumination.

Each LED lamp is encased in a silicon gel with a PVC membrane making them weather and damage resistant, the cable is dark green rubber sheathed and the product conforms to the latest EN

Colours available are Clear, Red, Green, Blue, Warm White and also a RGB colour changing version.

Each double braid has 400 LED Mini Lights. The single braid has 300 LEDs (if one lamp fails the others remain lit) The 230V version is

Single Braid 3 x set of 230v mini lights made up as a braid Double Braid 4 x sets of 230v mini lights (2 x colours) made up as braid

















# LED Icicle Lights 230V

LED icicles. Led lamps on 5m or 2m long black or white

The drop is 500mm or 700mm.
Inter-connectible from one power source.
Available in White, Warm White, Blue or multi-coloured. All can be done with cool white flash.

Great for use with cross streets, along canopies, around buildings, and even as a ceiling of light for the extra sparkle.

Having exceptional low energy consumption and minimal maintenance this product is the ideal long-term professional solution to effective illumination.

# Icicle Decorations

For extra wow factor there are plug in 500mm diameter cool white or warm white LED rope light stars and snowflakes available. These are easily connected to any of these icicle sets by the use of a simple T Bar connector.

Black rubber cable

RFLR.L.5 5M X 0.5M High Icicle Lights with Cool White or Warm White

or Blue LED lamps on white rubber cable.

5M X 0.7M High Icicle Lights RFLR.L.0.7.5 with Cool White or Warm White

> or Blue LED lamps with 20% flashing on white or black rubber cable.

RFLR.L.0.7.5 5M X 0.7M High Icicle Lights

with Multi Coloured LED lamps with 20% flashing on black

rubber cable.

MRFLR.L.0.7.2 2M X 0.7M High Icicle Lights

with Warm White

LED lamps with 20% flashing on

white rubber cable.

Power cord Cords are supplied separately for LED.FLR

CHPL230V-WH LED Power lead with AC/DC converter with White rubber cable

CHPL230V-BLK LED Power lead with AC/DC converter with









# LED RGB Mini Lights

Avaiable in 230v and 24v.
230v is Inter-connectible from one power source up to
60 strings on one controller.
24v is Inter-connectible from one power source up to 30
strings on one controller using spiltter leads.
A large range of multi-colour shows pre-programmed.
Cable colour is black.

Great for use with cone trees, christmas trees, deciduous trees, and even as a ceiling of light for the extra sparkle.

Having exceptional low energy consumption and minimal maintenance this product is the ideal long-term professional solution to effective illumination.

Weatherproof at IP44.



### LED.CHAIN.RGB.230

LED Light Chain 230v RGB black cable 10m

### LED.CHAIN.RGB.24

LED Light Chain 24v RGB black cable 10m

### CHAIN.CON.230

230v Controller for Light Chain (control 6000L each)

24v Controller for Light Chain (control 3000L each)







### **Snowfall Cracker LED Lights**

Light chain with asynchronous speed of descents. Each descent is managed by a timed controller, independent by other descents. The light fall effect is unique and

LED Falling Light. 24V 30L LED light chain, ice white LED with chasing effect, 50cm length; black rubber cable, without end connector, with controller and T bar connector, 230V.

Inter-connectible from one power source.

Having exceptional low energy consumption and minimalmaintenance this product is the ideal long-term professional solution to effective illumination.

### Model Number

LED.CRACKER.CW

LED cracker light 230v cool white 50cm with controller and T Bar



# **Catenary Accessories Catenary Wire**

Diameter - 3mm Ref No.

Description **CAT 003** 100m Roll 3mm

**GR133** Wire Rope Grip TH133 Thimble

EYE051

Straining Eyebolt 10mm SC103 Straining Screw 10mm

Hook & Eye

galvanised wire rope

6mm Fittings Ref No.

**CAT 006** 

Description 100m Roll 6mm galvanised wire rope

GR122 Wire Rope Grip TH122 Thimble

EYE051 Straining Eyebolt 10mm SC103 Straining Screw 10mm

Hook & Eye D143 D Shackle 10mm

**Wall Anchor Plate** 

SIZE 150mm x 150mm

**Catenary Wire** Diameter - 6mm

N° of strands 6 Fibre Core N° of wires per Strand 19 RHOL Corrosion Resistance Galvanised Tensile wire strength 1770 n/mm2 Minimum Break Load 21.0 kN **Factor of Safety** 5:1 SWL 4.2 kN

Diameter - 3mm N° of strands

6 Fibre Core N° of wires per Strand 19 RHOL **Corrosion Resistance** Galvanised Tensile wire strength 1770 n/mm2 Minimum Break Load 4.89 kN **Factor of Safety** 5:1 SWL 0.98 kN.

For weight load and testing up to 10kN the following is to be used:

100m roll 8mm 7 x 19 Stainless Steel Wire Rope M12 Stainless Steel eyebolts 8mm Stainless Steel wire rope grips 8mm Stainless Steel Hook & Eye

# LED Ropelight

LED ropelight is the best solution for high brightness decoration and long life duration. Low energy consumption.

Colour					
Cutting Distance	1.00m	1.00m	1.00m	1.00m	1.00m
Roll Length	40m	40m	40m	40m	40m
Power LED	1.92W/m	1.92W/m	1.92W/m	1.20W/m	1.20W/m
Voltage	230V	230V	230V	230V	230V

# **Ropelight Accessories**

A complete range of connection and mounting solutions are available for 13mm ropelight. Low voltage and multi wire controllers available on request.

Description

DII	ВΙ	ED	4

LED ropelight connector AC /

RUB.2W.13

1.6Mtr rubber wire power cord 13mm ropelight IP44 (pack of 4 pieces) 13mm End Cap (pack of 100

BC adaptor with ropelight

Cable ties (160 X 2.5)mm in

2W-6

Shrinkable tube 8-10cm PVC.10

pieces)

connector

all colour

for ropelight connection (pack of 100

pieces)

SPL.2W.01 Easy splice connector for 2 x 1 channel 13mm ropelight (pack of 100 pieces)

KON.22.01

HET.04

(pack of 100 pieces) CH-2W 2M clear channel for 13mm ropelight





The Strobe light produces a random flashing effect with the use of a 3 watt high intensity LED lamp, creating from a distance an attractive twinkling effect

# **Technical Specifications**

Supply Load 230 volt 3w B22 Base IP44 Protection







Clear Strobe Blue Strobe Green Strobe SFC001 SFY005 SFY003



SFC006

NOTE



Colours and cover shape may vary from samples shown





**Brackets** 

Brackets for column or wall mounted displays, are manufactured from steel, then zinc plated to prevent corrosion. Both the column and the wall bracket are manufactured in 2 parts, enabling you to permanently fix one part to the column or wall and the other to the displays.

Note: All displays are subject to wind resistance especially in exposed locations.

Column displays up to 2M high require 2 x Column

Displays over 2M high require 3 x Column Brackets

Description
Zinc Plated column bracket (1 piece
Zinc Plated wall bracket (1 piece)

