

L I T E

Lighting and Illumination Technology Experience
Limited

*Illuminations
Collection*



Recent Projects

Alton Towers



Dumfries, Scotland



Handforth



Gloucester



London



Fife, Scotland



Warwick



Prescot



SOHO, London



Cardiff, Wales



Perth, Scotland



Affinity Lancashire Outlet Shopping



Newark



Recent Projects



Birmingham




Flemingate Shopping Centre



Kimberley



Hucknall



Liverpool



Nottingham



Bognor Regis



Shepton Mallet



Coventry



York



London



Swansea, Wales



Alloa, Scotland

Welcome

Established in 2001 LITE Ltd has over 200 years of combined workforce experience in the design, supply, manufacture and installation of Christmas and Seasonal illuminations.

We work extensively in the public and private sector in partnership with city councils, BIDs (Business Improvement Districts), local authorities, town councils, parish councils, small villages, shopping centres, garden centres and retail parks across the country.

Our expert team of project managers work closely with clients to understand and appreciate the differences each particular town or city brings to the local community.

By immersing ourselves into the local environment and by studying the architectural features of the area, enables us to deliver truly stunning, creative and innovative lighting creations, reflecting the local features and bringing the clients' initial vision to reality.

See Our Other Brochures



QR Scanner

A QR code (short for "quick response" code) is a type of barcode that contains a matrix of dots. This can be scanned using a QR scanner or smartphone with built in camera. These are located throughout our brochure to allow you to better visualise our products by opening a video to watch once the barcode is scanned.

Please make sure you have QR scanning capabilities enabled to fully appreciate the products LITE has to offer.

Contents

Recent Projects	2
Welcome	6
Eco Statement	7
Animated Ropelight	8
Main Collection	16
Small Displays	32
New Mineral Fibre Collection	34
MaxiLED Displays	38
3D Column Displays	40
Photo Opportunities	42
3D Cone Tree Collection	50
Tree Fencing & Decorations	58
Twinkly™ Lighting	62
MaxiLED Lighting	68
Projectors	74
Architectural Lighting	78
Lighting Accessories	82

We Reuse We Reduce We Recycle



New 3D ECO Printing

After more than 3 years of intensive research and development, our main supplier, Fotodiastasi, is now capable of producing 100% recyclable products. This process involves the use of Robotic 3D Printers, which are probably the world's largest in the festive lighting industry. Fully custom-made to meet even the most demanding customer's needs, our new recyclable product range uses materials that are PET (Polyethylene terephthalate), Biodegradable and recyclable, as well as incorporating recycled materials.

A great advantage of this technology is that after the end of their use, all our products can be recycled. With 3D printing, we use about 20% aluminium and 80% plastic, so we reduce over 80% use of aluminium, thereby resulting in a major reduction of energy consumption. As a result, this new technology helps us and our clients understand the impact our actions have on the environment and benefits our environmental awareness.

What Is Net Zero?

Net Zero is a target of completely negating the amount of greenhouse gases produced by our activity, to be achieved by reducing emissions and implementing methods of absorbing carbon dioxide from the atmosphere.

In the future we hope to implement further measures such as

- Continue with staff awareness and training on energy efficiency.
- Explore the potential for the direct substitution of diesel in company vehicles to Hydrogenated Vegetable Oil (HVO).
- Explore the advantages of engine remapping for company vehicles.
- Explore the potential for switching company cars to electric when appropriate.

Carbon Reduction Plan

Our Carbon Reduction Plan has been completed in accordance with PPN 06/21 and associated guidance and reporting standard for Carbon Reduction Plans.

Emissions have been reported and recorded in accordance with the published reporting standard for Carbon Reduction Plans and the GHG Reporting Protocol corporate standard and uses the appropriate Government emission conversion factors for greenhouse gas company reporting.

Scope 1 and Scope 2 emissions have been reported in accordance with SECR requirements, and the required subset of Scope 3 emissions have been reported in accordance with the published reporting standard for Carbon Reduction Plans and the Corporate Value Chain (Scope 3) Standard.

LITE has a carbon net zero commitment with a target to reach this by 2050.

Play with Light

New Animation options
Programmable Ropelight

From dynamic chasing effects to smooth, seamless transitions, our LED tape lights offer exceptional flexibility and creative freedom.

Each system can be precisely programmed to chase in a pre-set sequence, allowing you to create eye-catching displays tailored to your environment.

Designed to enhance visual impact, our LED tape lighting is ideal for decorative features, architectural accents and festive installations. With a wide range of pre-designed display animations available, achieving a professional, high-quality finish is simple and effective.

Watch the video to see our LED tape lights in action and explore the animations across our pre-designed displays—bringing colour, movement and atmosphere to any space.



*Half Snowflake
Shooter*
24104
6.00m x 0.95m
168w



Moving Branches
22174
6.00m x 0.95m
110w 38kg



*Moving
Branches & Star*
22175
6.00m x 1.05m
140w 37kg



Moving Fountains
22176
6.00m x 0.70m
132w 28kg



Watch the video



You can add this
ropelight to any
display!



Weights are approximate and should not be used for windage or structural calculations.

Play with Light

New Animation options
Programmable Ropelight



Vintage Bauble
26170
0.9m x 2.20m



Bauble Cascade
26172
0.9m x 2.20m



Shooting Spark
26180
0.90m x 2.20m



Starveil
26189
0.90m x 2.20m
26w



Starveil Chase
26206
0.90m x 2.20m
24w




Moving Branches
22178
0.75m x 2.00m
49w 14kg



Bauble Curtain
26169
4.40m x 1.00m



Bauble Arch
26171
4.40m x 1.00m



Stellar Sweep
26179
4.40m x 0.90m



Bauble Fountain Swirl
24130
4m x 1m



Shooting Stars
22173
6.20m x 1.20m
100w 34kg



Starveil Sweep
26190
4.40m x 0.90m



Chasing Starveil
26205
4.40m x 0.90m

Weights are approximate and should not be used for windage or structural calculations.

NEW

Play with Light

New Animation options
Programmable Ropelight



Crystal Ornaments
26214
0.90m x 2.20m



Frostfall Stars
26218
0.90m x 2.20m



Crystal Pulse
26221
0.80m x 2.20m



Winter Lace
26198
0.95m x 2.20m



Snowfall glow
26200
0.95m x 2.20m



Scenic Snowfall
26187
0.90m x 2.00m



Crystal Arches
26215
4.40m x 0.90m



Frostfall Crossing
26219
4.40m x 0.90m



Crystal Flurry
26220
4.40m x 0.80m



Snowflake Lace
26197
4.40m x 0.95m



Snowflake Chase
26199
4.40m x 0.90m



Snowflake Wave Shooting
24110
4.40m x 1.15m
21kg 123w

NEW

Weights are approximate and should not be used for windage or structural calculations.

Columns & Cross Streets





Mistletoe Stars
26164
0.70m x 2.20m
24w




Royal Arch
26202
0.90m x 2.20m
61w



Hanging Delight
18309
1.20m x 2.20m
11kg 48w



Dancing Star
18323
0.95m x 2.20m
9.5kg 27w
0.70m x 1.50m
5kg 21w



Star Coil
22183
0.68m x 2.20m
10kg 36w



Glitter Chain
18300
4.10m x 1.10m
23kg 78w



Dancing Star Chain
18321
4.40m x 0.95m
19kg 54w



Star Swirls
22171
5.00m x 0.90m
28kg 81w



Star Merry Xmas
26127
6.80m x 1.35m
120w



Swinging Angel
26129
5.60m x 1.50m
155w



Flowing Arch
26201
4.40m x 0.95m
122w





Super Star Sail
22231
0.80m x 2.30m
10kg 42w

Snow Swirl Sail
22239
0.70m x 2.30m
8kg 36w

Snowbeam Sail
26188
0.90m x 2.00m

Dancing Star Sail
22241
0.74m x 2.30m
12kg 27w

Swish Star Sail
22233
0.90m x 2.30m
10kg 42w

Weights are approximate and should not be used for windage or structural calculations.



Snow Dance
22238
4.60m x 0.95m
26kg 78w



Star Curtain
22234
4.60m x 0.95m
20kg 84w



Banner Swirls
22254
4.60m x 0.86m
54w




Star Season
22232
4.60m x 0.90m
28kg 84w



Supernova
22242
4.60m x 0.74m
22.5kg 54w



Winter Wave
22240
4.60m x 0.70m
16kg 72w




Starlit Stag
26184
0.90m x 2.20m



Geometric Glow
26204
0.80m x 2.20m



Snowfall Glow
26163
0.95m x 2.20m



Starstream Sparkle
26186
1.10m x 2.20m



Starlight Cascade
26156
1.00m x 2.00m



Aura
15148
0.90m x 2.10m
12kg 33w
0.65m x 1.50m
6kg 19w



Arctic Ribbon
26210
0.90m x 2.20m



Ribbon Radiance
26211
0.90m x 2.20m

NEW

Weights are approximate and should not be used for windage or structural calculations.




Snowflake Sail
22237
0.95m x 2.30m
13kg 39w



Elegant Bauble
24128
0.95m x 2.20m
35w



Frosty Stars
22149
0.95m x 2.20m
11kg 27w



Twin Stars
22182
0.68m x 2.20m
34W



Ribbon Bauble
22166
0.70m x 3.00m
39w



Snowflake Dance Pendant
24105
4.60m x 0.85m
69w



Curtain Curl Pendant
24106
4.60m x 0.85m
56w



Snow Dance Pendant
24107
4.60m x 0.95m
99w



Star Season Pendant
24108
4.60m x 0.90m
81w



Star Frost
22148
4.40m x 0.95m
19kg 54w



Star Streamer
22181
4.40m x 0.68m
68w



Bauble Streamer
22164
5.00m x 0.90m
16kg 60w



Present Burst
26223
4.40m x 1.30m

Weights are approximate and should not be used for windage or structural calculations.


NEW



Snowflake
12344
0.80m x 2.30m
9.1kg 32w




Super Scroll
3546.B2.0.2/2
0.60m x 2.00m
6.85kg 21w



Majestic Blossom
18336
0.75m x 2.20m
7kg 21w



Snow Torch
22256
0.75m x 2.20m
11kg 33w



Morning Frost
12317
0.88m x 2.30m
12kg 47w



Glitter Snow
22255
4.40m x 0.75m
17kg 66w



Snow Crossing
12090
4.60m x 0.88m
18kg 74w



Frosted Snow
124210
4.00m x 0.55m
18kg 114w
5.00m x 0.65m
26kg 164w



Winter Waves
22506
4.45m x 0.75m
18kg 39w



Snowflake Banner
12573
4.50m x 0.95m
156w 30kg



Shooting Halo
26117
0.75m x 3.50m

Celestial Twist
26114
1.40m x 3.50m



Halo Spark
26116
5.70m x 1.40m

Starline Spark
26118
7.00m x 1.50m

Crystal Nova
26115
3.50m x 1.40m

Starlit Crossing
26111
12.00m x 2.40m

Starflair Symphony
26112
13.00m x 2.40m

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

RED
SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

YELLOW
SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

GREEN
SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

PURPLE
SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

WHITE
SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

BLUE
SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

CYAN
SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

MULTICOLOUR
SHOWS

Rainbow - Single Colours
Rainbow - Two Colours
Full Show - All of the above

RAINBOW
SHOWS

RGB Column Braids



Column Braids

A simple and cost-effective way to dress and illuminate columns where the weight and wind loading factors are paramount.

These braids are available in numerous colour combinations, with braids featuring 300 no. LEDs.

Each option is built on black inter-connectable rubber cables and fitted with 1m leads with ACDC convertor and 16 amp commando plug.

Where weight and wind is less of a factor, they can still be spiralled around columns to enhance the effect of existing column displays

Cool White Twinkle
Braid.cw.an
15m length

Warm White Twinkle
Braid.ww.an
15m length

NEW



Meteor Stars:

Available in 24v or 230v
 250mm diameter ref. 26159.025
 400mm diameter ref. 26159.040

These brand new 2D double sided acrylic stars are a real eye-catching addition to any festive installation.

The random animated effect commences with a bright central cool white light and then expands quickly outwards in a synchronised way down each of the rays.

The stars are supplied complete with T bar connectors to enable a simple installation combining with LED icicles or mini LED lights. They can also be added to column or cross street displays at time of manufacture.



26159
 0.25m x 0.25m
 0.40m x 0.40m



26136
 1.60m x 1.50m



26137
 2.00m x 1.25m



26148
 1.50m x 1.40m



26149
 1.50m x 1.30m



26150
 1.50m x 1.50m



26151
 1.50m x 1.30m



26147
 1.50m x 1.35m



26146
 1.50m x 1.30m

NEW

NEW



22403
1.00m x 1.00m
27w



121433
1.10m x 1.20m
7.3kg 38w



121452
1.07m x 1.10m
5.6kg 29w




22399
0.95m x 1.10m
39w



121432
1.10m x 1.20m
36w



22382
1.10m x 0.95m
21w



22408
1.50m x 1.50m
36w



22414
1.50m x 1.50m
33w



22412
1.50m x 1.50m
48w



22381
1.10 x 0.89m
18w



22390
1.10m x 0.93m
30w



22394
1.10m x 0.80m
21w



22411
1.50m x 1.50m
45w



22410
1.50m x 1.50m
42w



22409
1.50m x 1.50m
36w



22397
1.10m x 0.75m
18w



22400
1.10m x 1.15m
36w



22407
1.10m x 1.00m
24w



22384
1.10m x 1.10m
24w



123504
1.20m x 1.50m
36w



22385
0.90m x 1.10m
18w



22389
0.80m x 1.10m
30w



22391
1.10m x 1.10m
39w



1434
1.00m x 0.90m
24w



Mineral Fibre

A new concept in decorations
New pattern technology

- Environmentally friendly
- Fully recyclable
- Rot-proof



**100%
UNIQUE**

Our teams have been trained in our UNIQUE know-how and we work hard to develop the skills of our employees.



**100%
HANDCRAFTED**

People are at the heart of our development!



**100%
QUALITY**

Hard work, due care, expertise and high standards are values that we pass on to all our new recruits.

WE CAN SAY THAT
ALL OUR DESIGNS ARE

**99%
RECYCLABLE**



Our partner specialises in the manufacture of mineral fibre structures in a variety of shapes combining design and aesthetics to meet a wide range of requirements in a variety of environments.

- 10 years** We guarantee a minimum 10-year life for our fibreglass structures in outdoor use.
- The structures are light and very strong.
- In the event of an impact, they do not break, they do not deform, unlike aluminium, and they are able to bear more than 20 times their own weight.
- They will not be blown over due to their openwork construction. They can withstand winds of over 75 mph! (and more generally in any NV 65 Zone 4).

Our structures are able to support more than 20 times their own weight.

Guaranteed to last for 10 years!

No deterioration even in a marine environment

Thermal resistance ranges from -50°C (without fear of freezing) to 50°C+

The load-bearing capacity of our structures is remarkable. This allows for direct interactivity with visitors, as children and adults can climb on them...

... Which they love to do!



FIRE RESISTANCE

All our decorations can be classified M1 by construction or by treatment. This guarantees absolute safety from fire for ERP sites or sites with a high density of people.

The 10 complementary advantages:

- Corrosion resistance
- Chemical resistance
- Electrical and thermal insulation
- Thermal shock resistance
- Non-sparking and anti-magnetic (ADF/ATX)
- Electromagnetic transparency
- Easy cleaning, water, paint and varnish
- Unlimited colour palette
- Complies with road impact regulations.
- Easy to repair (vandalism and graffiti <1%).

OPENWORK SURFACE

Light passes through the openwork surfaces, increasing the vision of light sources, meaning less lighting, less energy consumption and less environmental impact.



Optimised production costs, optimised installation costs, optimised storage constraints, all mean more positive impacts on our daily environment.

In our industrial activity, the sustainable development approach translates into:

- Recycling of waste (or industrial by-products) and the use of plant resources
- Improving process efficiency (energy efficiency and energy saving)
- The promotion of healthier practices and products for humans and the environment
- Marketing of products through greener travel (hybrid or electric vehicles)
- A low carbon company, with goods being transported over a shorter distance
- Development of local trade and crafts
- Products manufactured at our premises in Pertuis (84)

Mineral Fibre

A new concept in decorations
New pattern technology


Give height to your communication!
We manufacture XXL size illuminated letters that can be adapted to any event (national holidays, sports celebrations, Pink October...).
You'll love the attention they get!



White weave, the letters can be coloured on request



Illuminated 3D letters with integrated projectors!



Classic letter / 3D (180)

(Also available in 50, 70, 100, 125 and 150cm high)

Our manufacturing system allows us to guarantee total durability. Our structures are both strong and light. Our weaving technique allows for an aesthetically pleasing appearance by day and night (including the integration of LED spotlights in the structure).

Reference: LETTER-1.80




As well as our new range of Eco-Friendly fibreglass mix festive motifs, we have a wide range of vibrant colourful summer displays, with designs ranging from simple hanging butterflies, to large freestanding 3D pieces. Please ask for our summer brochure for more details of our wide range to suit all budgets.




NEW



Maxi-Fountain
LDMAXI.18.001
0.60m x 2.30m
5.8kg 15w



Maxi-Rise
MXLD18004
0.60m x 2.30m
5.6kg 12w



Maxi-Wave
MXLD18005
0.60m x 2.30m
5.8kg 16w




Maxi-Flowers
MXLD18006
0.60m x 2.30m
6kg 31w



Maxi-Swirls
MXLD18007
0.60m x 2.30m
5.8kg 16w

MaxiLED Column Displays with 5 year MaxiLED warranty

**MADE IN
BRITAIN**



With the increase of "Staycation" holidays, there is growing interest for the installation of seaside lighting and displays. Over the last few years LITE have created many bespoke features for seafront locations featuring relevant themes for each particular town or area. This predominantly involves column displays and festoon lighting which have already been well received and has resulted in an increased footfall to visitor numbers. LITE have also now developed a range of MaxiLED column and cross street lighting features to match the extremely successful MaxiLED festoon. All of these lights and displays are built with an IP68 rating to ensure all year round performance and these are also offered with a 5 year warranty!





Star Burst Column
4000.B2/2.7
2.70m x 2.70m
45g 357w
4000.B2/1.7
1.70m x 1.70m
25kg 157w



3D fountain
26162
2.00m x 1.00m
3.00m x 1.50m
4.00m x 2.00m



3D Spiral
26161.150
1.00m x 1.50m
26161.300
1.00m x 3.00m



Column of Light
26160.200
0.80m x 2.00m
26160.300
1.00m x 3.00m
26160.400
1.00m x 4.00m



Just Delight (3D)
CANDELINO
1.00m x 2.00m
1.30m x 2.80m
1.30m x 3.50m



Star Delight (3D)
14272
1.30m x 4.20m



Ballet Wave (3D)
26168
1.30m x 4.40m



Royal Stars (3D)
26167
1.30m x 4.40m



Star Vase (3D)
26166
1.10m x 2.70m

Photo Opportunities



Santa Claus
160 031 W
1.9m x 1.35m x 0.3m



Snowman
160 030 W
1.65m x 1.5m x 0.3m



Walkthrough Bauble with Stars
21175.ST
3.40m x 2.30m
4.40m x 3.00m
5.20m x 3.50m



Walkthrough Gift with Stars
17214
4.00m x 3.00m x 3.00m



Walkthrough Bauble
21172
3.00m x 2.30m
3.80m x 3.00m
4.50m x 3.50m



Nutcracker
RMZ0171
55x55x180
RMZ0091
90x70x275



Large Waving Santa Sitting
170 040
2.5m x 2.15m x 2.3m



Portrait Selfie Frame
18127
2.70m x 1.60m



Santa Photo Frame
120 005
2.5m x 3m x 0.3m



3D Gingerbread man
170 050
1.8m x 1.25m x 30m



Skiing Teddy
170 057
1.6m x 1m x 1.3m



Santa and Sleigh
120 006
1.2m x 1.3m x 1.45m

David - Reindeer
18148
4.00m x 1.50m x 0.75m



Martin - Reindeer
18142
2.6m x 1.50m x 0.50m



Ian - Reindeer
18147
1.50m x 2.00m x 0.50m



Gary - Reindeer
160 001
2m x 1.7m x 1m



15068
4.80m x 5.80m



Paul - Reindeer
14450/2.4/WW
2.00m x 2.40m
30kg 99w



Cheryl - Reindeer
23075
1.50m x 2.60m x 0.50m



Photo Opportunities



Santa Teddy
26327
3.00m x 2.20m x 1.60m
4.50m x 3.10m x 2.60m



Star Gate
26302
4.00m x 7.00m x 0.50m



Star Arch
26301
3.50m x 7.80m x 0.50m




Stood Santa
26325
4.10m x 2.80m x 2.10m



Letter to Santa
26381
2.40m x 2.60m

Gingerbread house
26373
2.75m x 3.00m



Mobile Portrait
26383
1.30m x 2.40m



Mobile Landscape
26384
2.00m x 4.00m

Photo Opportunities




Snowflake Arch
26311
4.00m x 4.40m x 0.50m



Shooting Stars Arch
26303
4.00m x 11.00m x 0.60m



Wreath Arch
26314
4.00m x 7.20m x 0.60m



Twin Stars Arch
26309
3.50m x 4.20m x 0.50m



Stars Square Arch
26300
4.20m x 5.40m x 0.50m



Fir Tree

26364

2.80m x 6.00m

3.70m x 8.00m

4.60m x 10.00m

Lit or unlit options



Natural looking Tree

(Plain)

26363

2.80m x 5.20m

3.70m x 7.00m

4.60m x 8.70m



Natural looking Tree

(Decorated)

26362

2.80m x 6.00m

3.70m x 8.00m

4.60m x 10.00m



Snowflake & Bauble Tree
23270
2.00m x 7.20m
2.70m x 9.20m



Simple Tree
17791 - 0.72m x 2.80m
17792 - 1.00m x 3.85m
17793 - 1.32m x 4.90m
17794 - 1.70m x 6.00m
17795 - 2.00m x 7.05m
17796 - 2.70m x 9.20m
17377 - 4.25m x 12.40m
17377 - 4.90m x 14.55m
17377 - 5.60m x 16.70m
17377 - 6.30m x 18.85m
17377 - 7.00m x 21.00m
17377 - 7.60m x 23.15m



Gingerbread Tree
26365
4.25m x 13.00m



Walkthrough Tree
24254
2.70m x 4.00m
3.40m x 5.00m
4.00m x 6.00m





Gold Star Tree
26354
7.70m x 3.30m x 3.30m

Gold Star Tree
26354
10.30m x 4.40m x 4.40m

Gold Star Tree
26354
13.00m x 5.50m x 5.50m



Star Silhouette Tree
26355
3.30m x 7.70m
4.40m x 10.30m
5.50m x 13.00m



Animated Rope Light Tree
21209
1.10m x 2.65m
1.40m x 3.65m
1.70m x 4.65m
2.40m x 6.65m



Snowfall Tree
25081
 2.00m x 7.20m
 2.70m x 9.30m



Snowflake Tree
17809
 1.00m x 3.85m
17810
 1.32m x 4.90m
17811
 1.70m x 6.00m
17812
 2.00m x 7.05m
17814
 2.70m x 9.20m



Bushy Cone Trees


Introducing our heavy duty extra bushy cone trees

Designed to give an authentic Christmas Tree feel, this stunning display offers a fantastic eco-friendly alternative to purchasing a real tree.

Available in a wide range of sizes, and suitable for both indoor and outdoor usage. With careful installation and storage, these trees should provide many years of faithful service to your town and offer a real environmentally friendly alternative to annually cutting down our real and precious growing trees.

Available in sizes:
 26367
 2.00m x 4.20m
 3.00m x 6.20m
 4.00m x 8.20m





LED Spheres

Ball.30(colour) 0.30m x 0.30m	Ball.70(colour) 0.70m x 0.70m	Ball.120(colour) 1.20m x 1.20m
---	---	--

Ball.50(colour) 0.50m x 0.50m	Ball.90(colour) 0.90m x 0.90m	Ball.150(colour) 1.50m x 1.50m
---	---	--

LED Spheres with Flash

Ball.30.FL(colour) 0.30m x 0.30m	Ball.70.FL(colour) 0.70m x 0.70m	Ball.120.FL(colour) 1.20m x 1.20m
--	--	---

Ball.50.FL(colour) 0.50m x 0.50m	Ball.90.FL(colour) 0.90m x 0.90m	Ball.150.FL(colour) 1.50m x 1.50m
--	--	---



Tree Diamond (3D)

LD.TD.24
0.30m x 0.70m x 0.30m
2Kg 15w



Outdoor Artificial Trees

Outdoor artificial trees, are flame retardant and U.V. Stabilised, with hinged branches as standard, for easy assembly and storage.

They have an expected life of 5 years when used for 6 to 8 weeks of the year.

5' (150CM) Tree - 200 Lights Suggested.

Model No.	Description
Tree104	5' Tree

Zinc Plated Wall bracket. 45° bracket

Model No.	Description
BTW.45	45° Bracket for artificial trees (Please consult a qualified installer for required fixing method.)



Natural Christmas Trees

We can help you decide which tree will suit your space then we will deliver, install and dress the tree. After the Christmas period we will dismantle and clear the tree from your site, then chip it and make it into compost.

Should you wish, we also offer a bespoke dressing and lighting service to suit your corporate colours.

The Natural trees we can supply include:


Norwegian Spruce	Nordmann Fir
Lovely pine fragrance	Good needle retention



Brought to you by
NORTH NOTTS BID
BRIDGING A BETTER FUTURE




Picket Fence
Height: 900mm
Lengths: 1m, 2m, 2.5m



22517
1.50m x 1.00m



22518
1.50m x 1.00m



22519
1.50m x 1.00m



22520
1.50m x 1.00m



22521
1.50m x 1.00m



FD.21
H:0.50m H:0.75m
H:1.00m



GB.21
H:0.50m H:0.75m
H:1.00m



CD.21
H:0.50m H:0.75m
H:1.00m



22469
H:0.40m H:0.60m
H:0.80m



22470
H:0.40m H:0.60m
H:0.80m



22471
H:0.40m H:0.60m
H:0.80m



22463
H:0.40m H:0.60m
H:0.80m



22461
H:0.40m H:0.60m
H:0.80m



22460
H:0.40m H:0.60m
H:0.80m



22464
H:0.40m H:0.60m
H:0.80m



22466
H:0.40m H:0.60m
H:0.80m



22467
H:0.40m H:0.60m
H:0.80m



22468
H:0.40m H:0.60m
H:0.80m



22451
H:0.30m H:0.50m
H:0.75m H:1.00m



22454
H:0.30m H:0.50m
H:0.75m H:1.00m



22457
H:0.30m H:0.50m
H:0.75m H:1.00m



22449
H:0.30m H:0.50m
H:0.75m H:1.00m



22473
H:0.50m H:0.75m
H:1.00m





22475
H:0.50m H:0.75m
H:1.00m



22476
H:0.50m H:0.75m
H:1.00m

Twinkly Cone Trees

- Twinkly Pro allows you to put twinkly magic on large scale installations. It truly shines on these artificial trees, which are easily placed as the centre point of all attractions.
- Our trees can be supplied with a box for elevation and even a star topper.
- Tree sizes vary from 4m to a staggering 10m tall!



Product	Bulbs	Weight (kg)	Diameter (m)	Power (w)
4m tree no box	4500	135	1.5	450
5m tree inc. 1m box	4500	350	1.6	450
8m tree inc. 2m box	9000	410	2.25	900
10m tree inc. 2m box	15000	550	2.85	1500
50cm Twinkly Star topper	500	3	0.5	
6m Tree no Box	9000	311	1.7	900w



Twinkly Tunnels



Watch the video


- Tunnels**
- Modular System with connectable sections to create any size length tunnel.
 - Bespoke sizes also available upon request.
 - Leave outdoors all year round if required
 - Fantastic Photo Opportunity
 - Ultimate Wow Factor!



Twinkly Ceilings of Light



Watch the video



Twinkly 3D Displays

Add an instant WOW factor to your space.

- A whole range of 3D features designed to fit in with any event. Products include: Large 3D Baubles, 3D Stars, 3D Spheres to name but a few.
- Bespoke features are available upon request.
- Fantastic Photo Opportunity & Low Voltage.




Twinkly Deciduous Trees




Watch the video



- Multiple 25m Twinkly Strings can be connected together to create a beautiful light display.
- Once wrapped, leave in situ all year round as IP65 Commercial grade cable.
- Low Voltage.





5 Year
Warranty

12 Year
Life expectancy


IP68
Ingress Protection

IK07
IK Protection Ratings

MaxILED
Lighting



MaxILED
Lighting



Random Colour Change

- 5 year warranty
- IP68 - Waterproof
- High brightness LED
- Pre-manufactured festoon to your exact specification
- Pre-assembled in the factory so no fitting lamps on site
- Designed to allow easy & quick LED changes without affecting the IP68 integrity
- 1.5 sq mm Rubber cable to withstand harsh winds
- Low voltage and Low energy 24v 1.1w per fitting



NEW



What is MaxiLED Lighting?

Engineered and manufactured by LITE Ltd in the UK since 2007 to be a permanent solution to lighting trees and seafronts all year round, with a specifically designed LED package, IP68 waterproof and a full 5 year warranty - this is the perfect solution.

5Year
Warranty

12Year
Life expectancy

IP68
Ingress Protection

IK07
IK Protection Ratings



Tree Height (ft)	Number of static UltraBright 0.6w MaxiLED Lights	Transformer Require Model Number
10	150 (3 x 50 String)	1 x RTR.LED.150
15	200 (4 x 50 String)	1 x RTR.LED.240
20	250 (5 x 50 String)	2 x RTR.LED.150
25	350 (7 x 50 String)	2 x RTR.LED.240
30	500 (10 x 50 String)	3 x RTR.LED.240
40	650 (13 x 50 String)	3 x RTR.LED.240
For maximum effect increase above qty's by at least 50%		



Static Colours

- 5 year warranty
- Designed for 365 days a year use
- IP68 - Waterproof
- High brightness LED
- Pre-manufactured festoon to your exact specification
- Pre-assembled in the factory so no fitting lamps on site
- Designed to allow easy & quick LED changes without affecting the IP68 integrity
- 1.5 sq mm Rubber cable to withstand harsh winds
- Self expanding cable ties available to allow tree growth
- Low voltage and Low energy 24v 0.6w per fitting



Available Colours
These can be mixed and matched in any order or sequence. Flashing lamps also available



5Year
Warranty

12Year
Life expectancy

IP68
Ingress Protection

IK07
IK Protection Ratings



Watch the video

5 Year
Warranty

12 Year
Life expectancy

IP68
Ingress Protection

IK07
IK Protection Ratings

Saint-Raphaël, France

MaxiLED Lighting and ADS DESIGN France Illuminate Place Coulet with a First-of-Its-Kind Installation.

MaxiLED Lighting partnered closely with ADS DESIGN France to proudly unveil a groundbreaking large-scale art installation that transforms Place Coulet in Saint-Raphaël into a vibrant, poetic, and immersive urban space. **200 Suspended Spheres: A French Innovation in Urban Lighting** This masterpiece combines artistry and innovation through 200 suspended luminous spheres, powered by MaxiLED Large Globe DMX RGBW fixtures.

By Day: The installation radiates vivid colours, energizing the public square naturally without artificial illumination.
By Night: A fully synchronized MaxiLED light show delivers a dynamic visual experience. At the press of a button, the lighting can transition through an array of vibrant colours—or shift into a serene twilight star flicker, simulating a starry night sky. This immersive lighting display not only captivates the senses but also sets a new benchmark for creative, sustainable urban design.
Whether for city centres, public squares, or themed attractions, MaxiLED's Globe Series provides bold, energy-efficient, and aesthetically striking lighting solutions that stand the test of time.



Projectors

Our Powerful projectors are used to project beautiful Graphics, Images and Messages onto walls and buildings. We also use them to highlight interesting and important elements of the building and its perimeter. We use architectural light mapping to map the building so we can accurately design the images for the gobo to project on to the structure.

You can use projectors to display festive images and messages, to show an historical scene to celebrate a centenary or project your winning team to celebrate their victory. You can even project features that are not there like Windows, Archways, Gates and Balconies or you can project your finished project during renovations!

Our projectors are suitable for outdoor permanent projects.




Gobo – The key to achieving the best quality results from your projector lies in the Gobo (Projector Disks) itself. We supply the best quality Gobo Disks available in the market and work with the most knowledgeable and experienced designers and manufacturers.

Filters – The Light Projectors can be used to project a colour wash, an image or a moving image onto a surface. All are produced with the same projector; you just choose the type and design of the Gobo or Gobo Filter

Mapping – this is where we map out the contours and features of your building to create a stunning lighting display specifically designed to bring out the best features in your building or to re-create features of old that have long since crumbled away. Your imagination is the only limit and with our training and advice we'll help to remove all those limits. Talk to us about your ideas today and gladly share our knowledge and experience.

Signage – Whether projected onto a wall, floor or roof projected signage is great way to keep your safety and informational signs clear and crisp even in high traffic areas such as loading bays or clean rooms. You can even activate them with sensors, so the message is always noticed!



Commercial LED Projectors offer extraordinary performance Commercial LED Projectors and Gobo LED Projectors, ideal for bright and brilliant all year round lighting projections. They are so versatile you can't help being impressed and excited at the possibilities for your project. All our Commercial LED Projectors have energy efficient lamps, low power consumption and yet produce brilliantly clear and sharp images.

Architectural Lighting

We are a leading LED lighting solutions provider, delivering global award-winning projects in association with national designers. Partnered with pioneering manufacturers of dynamic LED and controls, we specify premium solutions for all projects, offering the latest in wireless technology and a full installation service.

LITE Architectural offers a wealth of specifically chosen proven LED technologies to fulfil the lighting needs of any architectural project. From application support and specification to ecology reports and site surveys, LITE provides extensive levels of service before the project has even begun. Once completed, we are still there to support our clients, offering superb aftercare to ensure the lighting in every project remains efficient and effective.



By working with only market-leading manufacturers, we ensure that the best solutions are specified for all projects. Regardless of the project requirements, it could be interior or exterior, large or small, and have numerous demands on the lighting technology, LITE provides the solutions, knowledge and technical expertise to deliver each and every time.

We are proud to have worked on a wide variety of prestigious projects across the UK, working with individual clients and local authorities on creating architectural lighting, heritage lighting, regeneration lighting and hospitality lighting.

Scan to view
the video



Carlisle Cathedral is a Grade I listed - The cathedral's existing lighting system was over 20 years old, using outdated technology, and featured cabling which was beyond repair. LITE was approached by Carlisle City Council to deliver an upgraded lighting scheme for the cathedral, using modern LED technology and introducing dynamic lighting to enhance this traditional space. LITE provided the design, supply, installation and commission of the exterior lighting scheme for the project, recommending a number of solutions from their market-leading portfolio to meet the design brief for the facade lighting. This included UniFlood LED floodlights to illuminate the facade and a Gobo projector - The Exterior™ Projection 500, to integrate bright and dynamic projections into the outdoor spaces.



The Royal Liver Building, Liverpool - The Grade I listed building occupies a prime spot in the city on the banks of the River Mersey. LITE were brought into the project to deliver a full turnkey solution of the scheme. This ensured the technological elements of the lighting design could all be fulfilled, including the optic options, long lifetime, overall quality and the luminaire's aesthetics.



Cardiff MSCP



St Marys Church Stockport



Bradford - City Hall



Nelson Market Square



Rishton War Memorial



Dunoon War Memorial



Plug in Stars

Plug in Stars

RLST50WW 50cm warm white plug-in Star on white cable

RLST50CW 50cm cool white plug-in Star on white cable



Well proven and hugely successful, the LED Mini Light range is perfect for intensely brilliant seasonal and non seasonal tree display lighting.

Each LED is encased in a silicon gel with a PVC membrane making them weather and damage resistant. The cable is white or black rubber sheathed and the product conforms to the latest EN standards. Colours available are; White, Red, Green, Blue, Warm White and Yellow.

Each string has 100 LED Mini Lights (if one lamp fails the others remain lit) at 10cm spacing and are inter-connectible so strings can be extended. The 230V version is 9.2W per set.

230V LED Mini Light Sets (10m)

Model Number Description

- LED.FLR.W** 10m cord with 100 x 230V White LED Mini Lights with black rubber cable
- LED.FLR.WW** 10m cord with 100 x 230V Warm White LED Mini Lights with white rubber cable
- LED.FLR.B** 10m cord with 100 x 230V Blue LED Mini Lights with black rubber cable
- LED.FLR.G** 10m cord with 100 x 230V Green LED Mini Lights with black rubber cable
- LED.FLR.R** 10m cord with 100 x 230V Red LED Mini Lights with black rubber cable
- LED.FLR.MC** 10m cord with 100 x 230V Multi Coloured LED Mini Lights with black rubber cable

Power cord Cords are supplied separately

- CHPL230V-WH** LED Power lead with AC/DC convertor white rubber cable
- CHPL230V-BLK** LED Power lead with AC/DC convertor black rubber cable
- LED.FLR.MMC** Circular Connector Ring (Black)
- LED.FLR.YC** Y Connector Ring (Black)
- EXT30B** 30cm Middle Connector (Black)
- EXT300B** 300cm Middle Connector (Black)



LED.FLR.MC

LED.FLR.W

LED.FLR.WW

LED.FLR.R

LED.FLR.G

LED.FLR.B



24V LED Mini Light Sets (10m)

Model Number	Description
LED.FLR.24.W	10m cord with 100 x 24V White LED Mini Lights with rubber cable
LED.FLR.24.WW	10m cord with 100 x 24V Warm White LED Mini Lights with rubber cable
LED.FLR.24.B	10m cord with 100 x 24V Blue LED Mini Lights with rubber cable
LED.FLR.24.G	10m cord with 100 x 24V Green LED Mini Lights with rubber cable
LED.FLR.24.R	10m cord with 100 x 24V Red LED Mini Lights with rubber cable
LED.FLR.24.MC	10m cord with 100 x 24V Multi-coloured LED Mini Lights with rubber cable

24 Volt colour change

Model Number	Description
LED.FLR.24.CC	10M cord with 100 x 24V Colour Change LED with rubber cable

Power cord Cords are supplied separately for LED.FLR

Model Number	Description
CHPL24V-WH	LED Power lead White rubber cable
CHPL24V-BLK	LED Power lead Black rubber cable
LED.FLR.MMC	Circular Connector Ring (Black)
LED.FLR.YC	Y Connector Ring (Black)
EXT30B	30cm Middle Connector (Black)
EXT300B	300cm Middle Connector (Black)

All the same characteristics as 230V LED Mini Light sets but with the added benefits of being Low Voltage
Colours available are; White, Red, Green, Blue, Warm White, Yellow, Pink and also an RGB colour changing version.

Each string has 100 LED Mini Lights (If one lamp fails the others remain lit) at 10cm spacing and are inter-connectible so strings can be extended.

9.2W per set and can be extended, the colour change is 9.2W per set and numerous sets can be centre fed from a transformer.

How many LED Mini Lights will I need?

Minimum amount of LED Mini lights required per tree (Not including trunk, not colour change)

Tree Height(ft)	Number of Mini LED Lights	Transformer
10	1000 (10 x 100 String)	1 x RTR.LED.100
15	1500 (15 x 100 String)	1 x RTR.LED.150
20	2000 (20 x 100 String)	1 x RTR.LED.240
25	3000 (30 x 100 String)	2 x RTR.LED.150
30	4000 (40 x 100 String)	2 x RTR.LED.240
40	5000 (50 x 100 String)	2 x RTR.LED.240

For maximum effect then increase above qty's by at least 50%


No. of Connection	Product Power Leads
1 Power Lead	24V Mini LED
1 Power Lead	Colour Change Mini LED




LED.FLR.24.W



LED.FLR.24.WW



LED.FLR.24.B



LED.FLR.24.G



LED.FLR.24.R



LED.FLR.24.P



LED.FLR.24.MC



Twinkle LED Mini Light Sets

24V & 230V Versions

Now available are the same length LED strings but with every 5th LED Mini bulb having a gentle flash to give an overall twinkling effect to your display. These are available on black or white rubber cable.

Model Number	Description
LED.FLR.W-AN	10M cord with 100 x 230V White LED with rubber cable
LED.FLR.WW-AN	10m cord with 100 x 230v Warm White LED mini lights with 20% flashing on dark rubber cable
LED.FLR.W-W-AN	10m cord with 100 x 230v Cool White LED mini lights with 20% flashing on white rubber cable
LED.FLR.24.WW-AN	10m cord with 100 x 24v Warm White LED mini lights with 20% flashing on dark rubber cable
LED.FLR.24.W-AN	10M cord with 100 x 24V White LED with rubber cable

Power cord Cords are supplied separately for LED.FLR

CHPL230V-WH	LED Power lead with AC/DC convertor White rubber cable
CHPL230V-BLK	LED Power lead with AC/DC convertor Black rubber cable
CHPL24V-WH	LED Power lead White rubber cable
CHPL24V-BLK	LED Power lead Black rubber cable




LED.FLR.24.MC-AN
LED.FLR.MC-AN



LED.FLR.24.WW-AN
LED.FLR.WW-AN



LED.FLR.24.W-AN
LED.FLR.W-AN



Watch the video



Model Number	Description
RFLR.L.5	5M X 0.5M High Icicle Lights with Cool White or Warm White or Blue LED lamps on white rubber cable.
RFLR.L.0.7.5	5M X 0.7M High Icicle Lights with Cool White or Warm White or Blue LED lamps with 20% flashing on white or black rubber cable.
RFLR.L.0.7.5	5M X 0.7M High Icicle Lights with Multi Coloured LED lamps with 20% flashing on black rubber cable.
MRFLR.L.0.7.2	2M X 0.7M High Icicle Lights with Warm White LED lamps with 20% flashing on white rubber cable.



LED Icicle Lights 230V
 LED icicles. Led lamps on 5m or 2m long black or white rubber cables. The drop is 500mm or 700mm. Inter-connectible from one power source. Available in White, Warm White, Blue or multi-coloured. All can be done with cool white flash.
 Great for use with cross streets, along canopies, around buildings, and even as a ceiling of light for the extra sparkle. Having exceptional low energy consumption and minimal maintenance this product is the ideal long-term professional solution to effective illumination.

Icicle Decorations
 For extra wow factor there are plug in 500mm diameter cool white or warm white LED rope light stars and snowflakes available. These are easily connected to any of these icicle sets by the use of a simple T Bar connector.



Well proven and hugely successful the LED Curtain Light range is perfect for intensely brilliant seasonal display lighting.
 Producing an enchanted sight with these stunning LED curtain lights. Be creative with these adaptable LED curtain lights, which can be used in unlimited locations.

LED Curtain Lights 230V	
Model Number	Description
LED.FLRS.72.WH.230V	1m x 1m 72 LEDs cool white or warm white
LED.FLRS.144.WH.230V	1m x 2m 144 LEDs cool white or warm white
LED.FLRS.216.WH.230V	1m x 3m 216 LEDs cool white or warm white
LED.FLRS.72.WW.230V	1m x 1m 72 LEDs warm white
LED.FLRS.144.WW.230V	1m x 2m 144 LEDs warm white
LED.FLRS.216.WW.230V	1m x 3m 216 LEDs warm white
Power cords are supplied separately	
CHPL230v-WH	LED power leads with AC/DC converter White Rubber Cable
CHPL230v-BLK	LED power leads with AC/DC converter Black Rubber Cable

Well proven and hugely successful the LED Braids range is perfect for adding a little sparkle to Street lamping columns.


Having exceptional low energy consumption and minimal maintenance this product is the ideal for existing street lighting columns adding minimal weight whilst adding illumination.

Each LED lamp is encased in a silicon gel with a PVC membrane making them weather and damage resistant, the cable is dark green rubber sheathed and the product conforms to the latest EN standards.

Colours available are Clear, Red, Green, Blue, Warm White and also a RGB colour changing version.

Each double braid has 400 LED Mini Lights. The single braid has 300 LEDs (if one lamp fails the others remain lit) The 230V version is 37W per set.

Single Braid
 3 x set of 230v mini lights made up as a braid
 Double Braid
 4 x sets of 230v mini lights (2 x colours) made up as braid



static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

RED SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

YELLOW SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

GREEN SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

PURPLE SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

WHITE SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

BLUE SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

CYAN SHOWS

static
RGB Flash
CW Flash
Fade & Flicker
50/50 Flash
Fade

MULTICOLOUR SHOWS

Rainbow - Single Colours
Rainbow - Two Colours
Full Show - All of the above

RAINBOW SHOWS

Model Number and Description

LED.CHAIN.RGB.230

LED Light Chain 230v RGB black cable 10m

LED.CHAIN.RGB.24

LED Light Chain 24v RGB black cable 10m

CHAIN.CON.230

230v Controller for Light Chain (control 6000L each)

CHAIN.CON.24

24v Controller for Light Chain (control 3000L each)

LED RGB Mini Lights

Available in 230v and 24v.

230v is Inter-connectible from one power source up to 60 strings on one controller.

24v is Inter-connectible from one power source up to 30 strings on one controller using spiltter leads.

A large range of multi-colour shows pre-programmed.

Cable colour is black.

Great for use with cone trees, christmas trees, deciduous trees, and even as a ceiling of light for the extra sparkle.

Having exceptional low energy consumption and minimal maintenance this product is the ideal long-term professional solution to effective illumination.

Weatherproof at IP44.

100 lamps per set



Snowfall Cracker LED Lights

Light chain with asynchronous speed of descents. Each descent is managed by a timed controller, independent by other descents. The light fall effect is unique and exclusive.

LED Falling Light. 24V 30L LED light chain, ice white LED with chasing effect, 50cm length; black rubber cable, without end connector, with controller and T bar connector, 230V.

Inter-connectible from one power source.

Having exceptional low energy consumption and minimal maintenance this product is the ideal long-term professional solution to effective illumination.

Model Number

Description

LED.CRACKER.CW

LED cracker light 230v cool white 50cm with controller and T Bar



Watch the video



Catenary Accessories

Catenary Wire

Diameter - 3mm

Ref No.

CAT 003

Description

100m Roll 3mm

galvanised wire rope

Wire Rope Grip

TH133

TH133

EYE051

Straining Eyebolt 10mm

Straining Screw 10mm

Hook & Eye

6mm Fittings

Ref No.

CAT 006

Description

100m Roll 6mm

galvanised wire rope

Wire Rope Grip

TH122

TH122

EYE051

Straining Eyebolt 10mm

Straining Screw 10mm

Hook & Eye

D Shackle 10mm

Wall Anchor Plate

SIZE

150mm x 150mm

Catenary Wire

Diameter - 6mm

N° of strands

6 Fibre Core

N° of wires per Strand

19

Lay

RHOL

Corrosion Resistance

Galvanised

Tensile wire strength

1770 n/mm²

Minimum Break Load

21.0 kN

Factor of Safety

5:1

SWL

4.2 kN

Diameter - 3mm

N° of strands

6 Fibre Core

N° of wires per Strand

19

Lay

RHOL

Corrosion Resistance

Galvanised

Tensile wire strength

1770 n/mm²

Minimum Break Load

4.89 kN

Factor of Safety

5:1

SWL

0.98 kN.

For weight load and testing up to 10kN the following is to be used:

100m roll 8mm 7 x 19 Stainless Steel Wire Rope

M12 Stainless Steel eyebolts

8mm Stainless Steel wire rope grips

8mm Stainless Steel Hook & Eye

LED Ropelight

LED ropelight is the best solution for high brightness decoration and long life duration. Low energy consumption.

Colour					
Cutting Distance	1.00m	1.00m	1.00m	1.00m	1.00m
Roll Length	40m	40m	40m	40m	40m
Power LED	1.92W/m	1.92W/m	1.92W/m	1.20W/m	1.20W/m
Voltage	230V	230V	230V	230V	230V

Ropelight Accessories

A complete range of connection and mounting solutions are available for 13mm ropelight. Low voltage and multi wire controllers available on request.

Model	Description
RUB.LED.1	LED ropelight connector AC / DC
RUB.2W.13	1.6Mtr rubber wire power cord 13mm ropelight IP44 (pack of 4 pieces)
2W-6	13mm End Cap (pack of 100 pieces)
PVC.10	Shrinkable tube 8-10cm for ropelight connection (pack of 100 pieces)
SPL.2W.01	Easy splice connector for 2 x 1 channel 13mm ropelight (pack of 100 pieces)
KON.22.01	BC adaptor with ropelight connector
HET.04	Cable ties (160 X 2.5)mm in all colour (pack of 100 pieces)
CH-2W	2M clear channel for 13mm ropelight



Strobe Lights

The Strobe light produces a random flashing effect with the use of a 3 watt high intensity LED lamp, creating from a distance an attractive twinkling effect.

Technical Specifications

Supply	230 volt
Load	3w
Base	B22
Protection	IP44



Clear Strobe
SFC001



Blue Strobe
SFY005



Green Strobe
SFY003




Red Strobe
SFC006



Yellow Strobe
SFY002

NOTE

Colours and cover shape may vary from samples shown



Brackets

Brackets for column or wall mounted displays, are manufactured from steel, then zinc plated to prevent corrosion. Both the column and the wall bracket are manufactured in 2 parts, enabling you to permanently fix one part to the column or wall and the other to the displays.

Note: All displays are subject to wind resistance especially in exposed locations.

Column displays up to 2M high require 2 x Column Brackets.
Displays over 2M high require 3 x Column Brackets

Model	Description
HDB.01	Zinc Plated column bracket (1 piece)
HWB.02	Zinc Plated wall bracket (1 piece)

CAMERON ROBERTSON

Direct Line: 0141 428 4509
Mobile: 07566 794529
e-mail: cameron@lite-ltd.co.uk

Head office:



Lighting and Illumination Technology Experience
Unit 2, Farrington Place,
Rossendale Road Industrial Estate, Burnley,
Lancashire. England, UK. BB11 5TY

Tel: 01282 448086

E-Mail: sales@lite-ltd.co.uk

Website: www.lite-ltd.co.uk

HOLLIE HAINSWORTH

Direct Line: 01282 479132
Mobile: 07510 042859
e-mail: hollie@lite-ltd.co.uk

DAVID MURPHY

Direct Line: 0151 2942139
Mobile: 07889 058576
e-mail: davidmurphy@lite-ltd.co.uk

MARTIN AVILL

Direct Line: 01827 337 108
Mobile: 07786 367312
e-mail: martin@lite-ltd.co.uk

LAWRENCE HAYES

Direct Line: 01245 407863
Mobile: 07896 206869
e-mail: lawrencehayes@lite-ltd.co.uk

PAUL TAYLOR

Direct Line: 01639 500433
Mobile: 07813 045960
e-mail: paul@lite-ltd.co.uk